

# HIT-HY 200-R

## Safety information for 2-Component-products

Date of issue: 26/09/2018

Revision date: 26/09/2018

Supersedes: 08/12/2017

Version: 3.2

### SECTION 1: Kit identification

#### 1.1 Product identifier

Product name

HIT-HY 200-R



Product code

BU Anchor

#### 1.2 Details of the supplier of the Safety information for 2-Component-products

Hilti (Aust.) Pty. Ltd.  
Level 5, 1G Homebush Bay Drive  
P.O. Box 3217  
2138 Rhodes NSW - Australia  
T +61 131 292 - F +61 1300 135 042  
[serviceaustralia@hilti.com](mailto:serviceaustralia@hilti.com)

### SECTION 2: General information

Storage

Storage temperature : 5 - 25 °C

A SDS for each of these components is included. Please do not separate any component SDS from this cover page

This Kit should be handled in accordance with good laboratory practices and appropriate personal protective equipment should be used

### SECTION 3:

#### Classification of the Product

##### 2.1. Classification of the hazardous chemical

##### Classification according to the model Work Health and Safety Regulations (WHS Regulations)

Serious eye damage/eye irritation, Category 2A H319

Skin sensitisation, Category 1 H317

##### 2.2. Label elements

Hazard pictograms (GHS-AU)



GHS07

Signal word (GHS-AU)

Warning

Hazard statements (GHS-AU)

H317 - May cause an allergic skin reaction.  
H319 - Causes serious eye irritation.

Precautionary statements (GHS-AU)

P261 - Avoid breathing dust/fume/gas/mist/vapours/spray.  
P264 - Wash hands, forearms and face thoroughly after handling.  
P272 - Contaminated work clothing should not be allowed out of the workplace.  
P280 - Wear protective gloves/protective clothing/eye protection/face protection.  
P302+P352 - IF ON SKIN: Wash with plenty of water/...  
P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove

# HIT-HY 200-R

## Safety information for 2-Component-products


contact lenses, if present and easy to do. Continue rinsing.  
 P321 - Specific treatment (see supplemental first aid instruction on this label)  
 P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.  
 P337+P313 - If eye irritation persists: Get medical advice/attention.  
 P363 - Wash contaminated clothing before reuse.  
 P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation

### 2.3. Other hazards not contributing to the classification

No additional information available

### Additional information

2-Component-foilpack, contains:  
 Component A: Urethane methacrylate resin, inorganic filler  
 Component B: Dibenzoyl peroxide, phlegmatized



Name	General description	Quantity	Unit	Classification according to the model Work Health and Safety Regulations (WHS Regulations)
HIT-HY 200-R, A		1	pcs (pieces)	Skin Sens. 1, H317
HIT-HY 200-R, B		1	pcs (pieces)	Eye Irrit. 2, H319 Skin Sens. 1, H317

## SECTION 4: General advice

General advice For professional users only

## SECTION 5: Safe handling advice

General measures	Spilled material may present a slipping hazard
Environmental precautions	Prevent entry to sewers and public waters Notify authorities if liquid enters sewers or public waters
Storage conditions	Keep cool. Protect from sunlight.
Precautions for safe handling	Wear personal protective equipment Avoid contact with skin and eyes Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work Provide good ventilation in process area to prevent formation of vapour
Methods for cleaning up	This material and its container must be disposed of in a safe way, and as per local legislation Mechanically recover the product Store away from other materials.
For containment	Collect spillage.
Incompatible materials	Sources of ignition Direct sunlight
Incompatible products	Strong bases Strong acids

## SECTION 6: First aid measures

First-aid measures after eye contact	Rinse immediately with plenty of water Remove contact lenses, if present and easy to do. Continue rinsing. Obtain medical attention if pain, blinking or redness persists
First-aid measures after ingestion	Rinse mouth Drink plenty of water

# HIT-HY 200-R

## Safety information for 2-Component-products

---

First-aid measures after inhalation	Get medical advice/attention. Do not induce vomiting Obtain emergency medical attention
First-aid measures after skin contact	Remove person to fresh air and keep comfortable for breathing. Assure fresh air breathing Allow the victim to rest
First-aid measures general	Wash contaminated clothing before reuse. Wash with plenty of water/... If skin irritation or rash occurs: Get medical advice/attention.
Symptoms/effects after eye contact	Take off immediately all contaminated clothing.
Symptoms/effects after skin contact	Never give anything by mouth to an unconscious person If you feel unwell, seek medical advice (show the label where possible)
Other medical advice or treatment	May cause severe irritation May cause an allergic skin reaction. Treat symptomatically

### **SECTION 7: Fire fighting measures**

Firefighting instructions	Use water spray or fog for cooling exposed containers Exercise caution when fighting any chemical fire Prevent fire fighting water from entering the environment
Protection during firefighting	Self-contained breathing apparatus Do not enter fire area without proper protective equipment, including respiratory protection
Hazardous decomposition products in case of fire	Thermal decomposition generates : Carbon dioxide Carbon monoxide

### **SECTION 8: Other information**

No data available

# HIT-HY 200-R, B

## Safety Data Sheet

according to the Model Work Health and Safety Regulations

Date of issue:26/09/2018

Revision date:26/09/2018

Supersedes: 08/12/2015

Version: 3.2

### SECTION 1: Identification : Product identifier and chemical identity

#### 1.1. Product identifier

Product form	Mixture
Product name	HIT-HY 200-R, B
Product code	BU Anchor

#### 1.2. Other means of identification

No additional information available

#### 1.3. Recommended use of the chemical and restrictions on use

Recommended use Composite mortar component for fasteners in the construction industry

#### 1.4. Supplier's details

Hilti (Aust.) Pty. Ltd.  
Level 5, 1G Homebush Bay Drive  
P.O. Box 3217  
2138 Rhodes NSW - Australia  
T +61 131 292 - F +61 1300 135 042  
[serviceaustralia@hilti.com](mailto:serviceaustralia@hilti.com)

#### 1.5. Emergency phone number

Emergency number +61 2 8748 1000

### SECTION 2: Hazards identification

#### 2.1. Classification of the hazardous chemical

##### Classification according to the model Work Health and Safety Regulations (WHS Regulations)

Serious eye damage/eye irritation, Category 2A H319  
Skin sensitisation, Category 1 H317

#### 2.2. Label elements

Hazard pictograms (GHS-AU)



GHS07

Signal word (GHS-AU)

Warning

Contains

dibenzoyl peroxide (10 - 25 %)

Hazard statements (GHS-AU)

H317 - May cause an allergic skin reaction.  
H319 - Causes serious eye irritation.

Precautionary statements (GHS-AU)

P280 - Wear eye protection, protective clothing, protective gloves.  
P262 - Do not get in eyes, on skin, or on clothing.  
P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P302+P352 - IF ON SKIN: Wash with plenty of water/...  
P337+P313 - If eye irritation persists: Get medical advice/attention.  
P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.

#### 2.3. Other hazards

No additional information available

# HIT-HY 200-R, B

## Safety Data Sheet

according to the Model Work Health and Safety Regulations

### SECTION 3: Composition/information on ingredients

Name	CAS-No.	%	Classification according to the model Work Health and Safety Regulations (WHS Regulations)
dibenzoyl peroxide	94-36-0	10 - 25	Org. Perox. B, H241 Eye Irrit. 2A, H319 Skin Sens. 1, H317

### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

First-aid measures general	Take off immediately all contaminated clothing. Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).
First-aid measures after inhalation	Remove person to fresh air and keep comfortable for breathing. Assure fresh air breathing. Allow the victim to rest.
First-aid measures after skin contact	Wash contaminated clothing before reuse. Wash with plenty of water/.... If skin irritation or rash occurs: Get medical advice/attention.
First-aid measures after eye contact	Rinse immediately with plenty of water. Remove contact lenses, if present and easy to do. Continue rinsing. Obtain medical attention if pain, blinking or redness persists.
First-aid measures after ingestion	Rinse mouth. Drink plenty of water. Get medical advice/attention. Do not induce vomiting. Obtain emergency medical attention.

#### 4.2. Symptoms caused by exposure

Symptoms/effects after skin contact	May cause an allergic skin reaction.
Symptoms/effects after eye contact	May cause severe irritation.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Other medical advice or treatment	Treat symptomatically.
-----------------------------------	------------------------

### SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

Suitable extinguishing media	Water spray. Carbon dioxide. Dry powder. Foam. Sand.
Unsuitable extinguishing media	Do not use a heavy water stream.

#### 5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of fire	Thermal decomposition generates : Carbon dioxide. Carbon monoxide.
--	--

#### 5.3. Advice for firefighters

Firefighting instructions	Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire fighting water from entering the environment.
Protection during firefighting	Self-contained breathing apparatus. Do not enter fire area without proper protective equipment, including respiratory protection.

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

General measures	Spilled material may present a slipping hazard.
------------------	---

# HIT-HY 200-R, B

## Safety Data Sheet

according to the Model Work Health and Safety Regulations

### 6.1.1. For non-emergency personnel

Emergency procedures Evacuate unnecessary personnel.

### 6.1.2. For emergency responders

Protective equipment Use personal protective equipment as required. Equip cleanup crew with proper protection.  
Emergency procedures Ventilate area.

### 6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

### 6.3. Methods and material for containment and cleaning up

For containment Collect spillage.  
Methods for cleaning up This material and its container must be disposed of in a safe way, and as per local legislation. Mechanically recover the product. Store away from other materials.

## SECTION 7: Handling and storage, including how the chemical may be safely used

### 7.1. Precautions for safe handling

Precautions for safe handling Wear personal protective equipment. Avoid contact with skin and eyes. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour.  
Hygiene measures Do not eat, drink or smoke when using this product. Always wash hands after handling the product. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse.

### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions Keep cool. Protect from sunlight.  
Incompatible products Strong bases. Strong acids.  
Incompatible materials Sources of ignition. Direct sunlight.  
Storage temperature 5 - 25 °C  
Heat and ignition sources Keep away from heat and direct sunlight.

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters - exposure standards

#### Exposure limit values for the other components

### 8.2. Monitoring

No additional information available

### 8.3. Appropriate engineering controls

No additional information available

### 8.4. Personal protective equipment

Personal protective equipment Safety glasses. Gloves. Protective clothing. Avoid all unnecessary exposure.

# HIT-HY 200-R, B

## Safety Data Sheet

according to the Model Work Health and Safety Regulations

### Hand protection

Wear protective gloves. The permeation time is not the maximum wearing time! Generally speaking, it must be reduced. Contact with either mixtures of substances or different substances may shorten the protective function's effective duration.

Type	Material	Permeation	Thickness (mm)	Standard
Disposable gloves	Nitrile rubber (NBR)	6 (> 480 minutes)	0,12	EN 374

### Eye protection

Wear security glasses which protect from splashes

Type	Use	Characteristics	Standard
Safety glasses	Droplet	clear	EN 166, EN 170

### Skin and body protection

Wear suitable protective clothing



### Environmental exposure controls

Avoid release to the environment.

### Consumer exposure controls

Avoid contact during pregnancy/while nursing.

### Other information

Do not eat, drink or smoke during use.

## SECTION 9: Physical and chemical properties

Physical state	Solid
Appearance	Thixotropic paste.
Colour	white
Odour	characteristic
Odour threshold	Not determined
pH	No data available
Relative evaporation rate (butylacetate=1)	No data available
Melting point / Freezing point	No data available
Boiling point	No data available
Flash point	No data available
Auto-ignition temperature	Not self-igniting
Flammability (solid, gas)	No data available
Vapour pressure	No data available
Relative density	No data available
Density	Density : 1.9 g/ml AW 4.3.23
Solubility	Water: Not miscible
Log Pow	No data available
Viscosity	Viscosity, dynamic : 40 Pa.s HN-0333
Explosive properties	Product is not explosive.
Explosive limits	No data available
Minimum ignition energy	No data available
SADT	65 °C
Fat solubility	No data available

## SECTION 10: Stability and reactivity

Chemical stability	Stable under normal conditions.
--------------------	---------------------------------

# HIT-HY 200-R, B

## Safety Data Sheet

according to the Model Work Health and Safety Regulations

Possibility of hazardous reactions	No additional information available.
Conditions to avoid	Direct sunlight. Extremely high or low temperatures.
Incompatible materials	Strong acids. Strong bases.
Hazardous decomposition products	fume. Carbon monoxide. Carbon dioxide. Under normal conditions of storage and use, hazardous decomposition products should not be produced.

### SECTION 11: Toxicological information

Acute toxicity (oral)	Not classified
Acute toxicity (dermal)	Not classified
Acute toxicity (inhalation)	Not classified
Skin corrosion/irritation	Not classified
Serious eye damage/irritation	Causes serious eye irritation.
Respiratory or skin sensitisation	May cause an allergic skin reaction.
Germ cell mutagenicity	Not classified
Carcinogenicity	Not classified
Reproductive toxicity	Not classified
STOT-single exposure	Not classified
STOT-repeated exposure	Not classified
Aspiration hazard	Not classified

HIT-HY 200-R, B	
Viscosity, kinematic	21052.632 mm <sup>2</sup> /s
Density	1.9 g/ml AW 4.3.23
Viscosity, dynamic	40 Pa.s HN-0333

Potential adverse human health effects and symptoms      Based on available data, the classification criteria are not met

### SECTION 12: Ecological information

According to the National Code of Practice for the Preparation of Material Safety Data Sheets, Environmental classification information is not mandatory. Information relevant for GHS classification is available on request

#### 12.1. Ecotoxicity

Acute aquatic toxicity	Not classified
Chronic aquatic toxicity	Not classified

Other information      Avoid release to the environment.

dibenzoyl peroxide (94-36-0)	
LC50 fish 2	0.0602 mg/l (96h; Oncorhynchus mykiss; ECHA)
EC50 Daphnia 1	0.11 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static system, Fresh water, Experimental value)
NOEC (acute)	0.0316 mg/l (96h; Oncorhynchus mykiss; ECHA)
NOEC chronic fish	< 0.001
Log Pow	3.71
Log Koc	3.8 (log Koc, OECD 121: Estimation of the Adsorption Coefficient (Koc) on Soil and on Sewage Sludge using High Performance Liquid Chromatography (HPLC), Experimental value)



# HIT-HY 200-R, B

## Safety Data Sheet

according to the Model Work Health and Safety Regulations

### 12.2. Persistence and degradability

HIT-HY 200-R, B	
Persistence and degradability	Not established.
dibenzoyl peroxide (94-36-0)	
Persistence and degradability	Readily biodegradable in water. Not established. May cause long-term adverse effects in the environment.

### 12.3. Bioaccumulative potential

HIT-HY 200-R, B	
Bioaccumulative potential	Not established.
dibenzoyl peroxide (94-36-0)	
Log Pow	See section 12.1 on ecotoxicology
Log Koc	See section 12.1 on ecotoxicology
Bioaccumulative potential	Low bioaccumulation potential (Log Kow < 4).

### 12.4. Mobility in soil

dibenzoyl peroxide (94-36-0)	
Log Pow	See section 12.1 on ecotoxicology
Log Koc	See section 12.1 on ecotoxicology
Ecology - soil	Adsorbs into the soil.

### 12.5. Other adverse effects

Ozone	Not classified
Other adverse effects	No additional information available

HIT-HY 200-R, B	
Fluorinated greenhouse gases	False
dibenzoyl peroxide (94-36-0)	
Fluorinated greenhouse gases	False

## SECTION 13: Disposal considerations

Regional legislation (waste)	Disposal must be done according to official regulations.
Product/Packaging disposal recommendations	After curing, the product can be disposed of with household waste. . Full or only partially emptied cartridges must be disposed of as special waste in accordance with official regulations. Packaging contaminated by the product : Dispose in a safe manner in accordance with local/national regulations.
Ecology - waste materials	Avoid release to the environment.

## SECTION 14: Transport information

ADR	IMDG	IATA	RID
14.1. UN number			
Not regulated	Not regulated	Not regulated	Not regulated
14.2. UN proper shipping name			
Not regulated	Not regulated	Not regulated	Not regulated
14.3. Transport hazard class(es)			
Not regulated	Not regulated	Not regulated	Not regulated
14.4. Packing group			
Not regulated	Not regulated	Not regulated	Not regulated

# HIT-HY 200-R, B

## Safety Data Sheet

according to the Model Work Health and Safety Regulations

ADR	IMDG	IATA	RID
<b>14.5. Environmental hazards</b>			
Not regulated	Not regulated	Not regulated	Not regulated
Environmentally hazardous substances derogation applies (quantity of liquids $\leq$ 5 litres or net mass of solids $\leq$ 5 kg)			
No supplementary information available			

### 14.6. Special precautions for user

Specific storage requirement	No data available
Shock sensitivity	No data available

### 14.7. Additional information

Other information	No supplementary information available
-------------------	--

#### Transport by road and rail

Not applicable

#### Transport by sea

Special provisions (IMDG)	IMDG-Code 2.10.2.7
---------------------------	--------------------

#### Air transport

Special provisions (IATA)	A197
---------------------------	------

### 14.8. Hazchem or Emergency Action Code

Hazchemcode	Not applicable
-------------	----------------

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

No additional information available

### 15.2. International agreements

No additional information available

## SECTION 16: Any other relevant information

Revision date 26/09/2018

Other information None.

Classification:

Eye Irrit. 2A	H319
Skin Sens. 1	H317

Full text of H-statements:

Eye Irrit. 2A	Serious eye damage/eye irritation, Category 2A
Org. Perox. B	Organic Peroxides, Type B
Skin Sens. 1	Skin sensitisation, Category 1
H241	Heating may cause a fire or explosion.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.



# HIT-HY 200-R, B

## Safety Data Sheet

according to the Model Work Health and Safety Regulations

---

SDS\_AU\_Hilti

*This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product*

# HIT-HY 200-R, A

## Safety Data Sheet

according to the Model Work Health and Safety Regulations

Date of issue:26/09/2018

Revision date:26/09/2018

Supersedes: 08/12/2015

Version: 3.2

### SECTION 1: Identification : Product identifier and chemical identity

#### 1.1. Product identifier

Product form	Mixture
Product name	HIT-HY 200-R, A
Product code	BU Anchor

#### 1.2. Other means of identification

No additional information available

#### 1.3. Recommended use of the chemical and restrictions on use

Recommended use Composite mortar component for fasteners in the construction industry

#### 1.4. Supplier's details

Hilti (Aust.) Pty. Ltd.  
Level 5, 1G Homebush Bay Drive  
P.O. Box 3217  
2138 Rhodes NSW - Australia  
T +61 131 292 - F +61 1300 135 042  
[serviceaustralia@hilti.com](mailto:serviceaustralia@hilti.com)

#### 1.5. Emergency phone number

Emergency number +61 2 8748 1000

### SECTION 2: Hazards identification

#### 2.1. Classification of the hazardous chemical

Classification according to the model Work Health and Safety Regulations (WHS Regulations)

Skin sensitisation, Category 1

H317

#### 2.2. Label elements

Hazard pictograms (GHS-AU)



GHS07

Signal word (GHS-AU)

Warning

Contains

2-Propenoic acid, 2-methyl-, 1,4-butanediyl ester (10 - 25 %); 2-Propenoic acid, 2-methyl-, monoester with 1,2-propanediol (5 - 10 %)

Hazard statements (GHS-AU)

H317 - May cause an allergic skin reaction.

Precautionary statements (GHS-AU)

P280 - Wear eye protection, protective clothing, protective gloves.

P262 - Do not get in eyes, on skin, or on clothing.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P302+P352 - IF ON SKIN: Wash with plenty of water/...

P337+P313 - If eye irritation persists: Get medical advice/attention.

P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.

#### 2.3. Other hazards

No additional information available

# HIT-HY 200-R, A

## Safety Data Sheet

according to the Model Work Health and Safety Regulations

### SECTION 3: Composition/information on ingredients

Name	CAS-No.	%	Classification according to the model Work Health and Safety Regulations (WHS Regulations)
2-Propenoic acid, 2-methyl-, 1,4-butanediyl ester	2082-81-7	10 - 25	Skin Sens. 1B, H317
2-Propenoic acid, 2-methyl-, monoester with 1,2-propanediol	27813-02-1	5 - 10	Eye Irrit. 2A, H319 Skin Sens. 1, H317
1,1'-(p-tolylimino)dipropan-2-ol	38668-48-3	0.1 - 1	Acute Tox. 2 (Oral), H300 Eye Irrit. 2A, H319

### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

First-aid measures general

Take off immediately all contaminated clothing. Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

#### 4.2. Symptoms caused by exposure

Symptoms/effects after skin contact

May cause an allergic skin reaction.

Symptoms/effects after eye contact

May cause severe irritation.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Other medical advice or treatment

Treat symptomatically.

### SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

Suitable extinguishing media

Water spray. Carbon dioxide. Dry powder. Foam. Sand.

Unsuitable extinguishing media

Do not use a heavy water stream.

#### 5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of fire

Thermal decomposition generates : Carbon dioxide. Carbon monoxide.

#### 5.3. Advice for firefighters

Firefighting instructions

Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire fighting water from entering the environment.

Protection during firefighting

Self-contained breathing apparatus. Do not enter fire area without proper protective equipment, including respiratory protection.

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

General measures

Spilled material may present a slipping hazard.

##### 6.1.1. For non-emergency personnel

Emergency procedures

Evacuate unnecessary personnel.

##### 6.1.2. For emergency responders

Emergency procedures

Ventilate area.



# HIT-HY 200-R, A

## Safety Data Sheet

according to the Model Work Health and Safety Regulations

### SECTION 9: Physical and chemical properties

Physical state	Solid
Appearance	Thixotropic paste.
Colour	Light grey
Odour	characteristic
Odour threshold	Not determined
pH	No data available
Relative evaporation rate (butylacetate=1)	No data available
Melting point / Freezing point	No data available
Boiling point	No data available
Flash point	> 109 °C DIN EN ISO 1523
Auto-ignition temperature	Not self-igniting
Flammability (solid, gas)	No data available
Vapour pressure	No data available
Relative density	No data available
Density	Density : 1.8 g/ml AW 4.3.23
Solubility	Water: Not miscible
Log Pow	No data available
Viscosity	Viscosity, dynamic : 50 Pa.s HN-0333
Explosive properties	Product is not explosive.
Explosive limits	No data available
Minimum ignition energy	No data available
Fat solubility	No data available

### SECTION 10: Stability and reactivity

Incompatible materials	Strong acids. Strong bases.
------------------------	-----------------------------

### SECTION 11: Toxicological information

Acute toxicity (oral)	Not classified
Acute toxicity (dermal)	Not classified
Acute toxicity (inhalation)	Not classified

1,1'-(p-tolylimino)dipropan-2-ol (38668-48-3)	
LD50 oral rat	25 mg/kg
LD50 dermal rat	> 2000 mg/kg
2-Propenoic acid, 2-methyl-, 1,4-butanediyl ester (2082-81-7)	
LD50 oral rat	10066 mg/kg
LD50 dermal rat	> 3000 mg/kg
2-Propenoic acid, 2-methyl-, monoester with 1,2-propanediol (27813-02-1)	
LD50 oral rat	> 5000 mg/kg (Rat; OECD 401: Acute Oral Toxicity; Literature study; >=2000 mg/kg bodyweight; Rat; Experimental value)
LD50 dermal rabbit	>= 5000 mg/kg bodyweight (Rabbit; Experimental value)

Skin corrosion/irritation	Not classified
Serious eye damage/irritation	Not classified
Respiratory or skin sensitisation	May cause an allergic skin reaction.
Germ cell mutagenicity	Not classified
Carcinogenicity	Not classified

# HIT-HY 200-R, A

## Safety Data Sheet

according to the Model Work Health and Safety Regulations

Reproductive toxicity	Not classified
STOT-single exposure	Not classified
STOT-repeated exposure	Not classified
Aspiration hazard	Not classified

HIT-HY 200-R, A	
Viscosity, kinematic	27777.778 mm <sup>2</sup> /s
Density	1.8 g/ml AW 4.3.23
Viscosity, dynamic	50 Pa.s HN-0333

Potential adverse human health effects and symptoms Based on available data, the classification criteria are not met

## SECTION 12: Ecological information

According to the National Code of Practice for the Preparation of Material Safety Data Sheets, Environmental classification information is not mandatory. Information relevant for GHS classification is available on request

### 12.1. Ecotoxicity

Acute aquatic toxicity	Not classified
Chronic aquatic toxicity	Not classified

Other information Avoid release to the environment.

1,1'-(p-tolylimino)dipropan-2-ol (38668-48-3)	
LC50 fish 1	≈ 17 mg/l
LC50 other aquatic organisms 1	245 mg/l
EC50 Daphnia 1	28.8 mg/l
NOEC (acute)	57.8 mg/l
BCF fish 1	≈
Log Kow	2.1

2-Propenoic acid, 2-methyl-, 1,4-butanediyl ester (2082-81-7)	
LC50 fish 1	32.5 mg/l
LC50 other aquatic organisms 1	9.79 mg/l
NOEC (acute)	7.51 mg/l
NOEC (chronic)	20 mg/l
Log Pow	3.1

2-Propenoic acid, 2-methyl-, monoester with 1,2-propanediol (27813-02-1)	
LC50 fish 1	493 mg/l (48 h; Leuciscus idus; GLP)
EC50 Daphnia 1	> 143 mg/l (48 h; Daphnia magna; GLP)
BCF fish 1	<= 100
BCF fish 2	3.2 Quantitative structure-activity relationship (QSAR)
Log Pow	0.97 (OECD 102 method)
Threshold limit algae 1	> 97.2 mg/l (72 h; Pseudokirchneriella subcapitata; GLP)
Threshold limit algae 2	> 97.2 mg/l (72 h; Pseudokirchneriella subcapitata; GLP)

### 12.2. Persistence and degradability

HIT-HY 200-R, A	
Persistence and degradability	Not established.

2-Propenoic acid, 2-methyl-, 1,4-butanediyl ester (2082-81-7)	
Biodegradation	84 %

2-Propenoic acid, 2-methyl-, monoester with 1,2-propanediol (27813-02-1)	
Persistence and degradability	Readily biodegradable in water.



# HIT-HY 200-R, A

## Safety Data Sheet

according to the Model Work Health and Safety Regulations

### 12.3. Bioaccumulative potential

<b>HIT-HY 200-R, A</b>	
Bioaccumulative potential	Not established.
<b>1,1'-(p-tolylimino)dipropan-2-ol (38668-48-3)</b>	
BCF fish 1	See section 12.1 on ecotoxicology
Log Kow	See section 12.1 on ecotoxicology
<b>2-Propenoic acid, 2-methyl-, 1,4-butanediyl ester (2082-81-7)</b>	
Log Pow	See section 12.1 on ecotoxicology
<b>2-Propenoic acid, 2-methyl-, monoester with 1,2-propanediol (27813-02-1)</b>	
BCF fish 1	See section 12.1 on ecotoxicology
BCF fish 2	See section 12.1 on ecotoxicology
Log Pow	See section 12.1 on ecotoxicology
Bioaccumulative potential	Low bioaccumulation potential (BCF < 500).

### 12.4. Mobility in soil

<b>1,1'-(p-tolylimino)dipropan-2-ol (38668-48-3)</b>	
Log Kow	See section 12.1 on ecotoxicology
<b>2-Propenoic acid, 2-methyl-, 1,4-butanediyl ester (2082-81-7)</b>	
Log Pow	See section 12.1 on ecotoxicology
<b>2-Propenoic acid, 2-methyl-, monoester with 1,2-propanediol (27813-02-1)</b>	
Log Pow	See section 12.1 on ecotoxicology
Ecology - soil	Low potential for adsorption in soil.

### 12.5. Other adverse effects

Ozone	Not classified
Other adverse effects	No additional information available

<b>HIT-HY 200-R, A</b>	
Fluorinated greenhouse gases	False
<b>1,1'-(p-tolylimino)dipropan-2-ol (38668-48-3)</b>	
Fluorinated greenhouse gases	False
<b>2-Propenoic acid, 2-methyl-, 1,4-butanediyl ester (2082-81-7)</b>	
Fluorinated greenhouse gases	False
<b>2-Propenoic acid, 2-methyl-, monoester with 1,2-propanediol (27813-02-1)</b>	
Fluorinated greenhouse gases	False

## SECTION 13: Disposal considerations

Regional legislation (waste)	Disposal must be done according to official regulations.
Product/Packaging disposal recommendations	After curing, the product can be disposed of with household waste. . Full or only partially emptied cartridges must be disposed of as special waste in accordance with official regulations. Packaging contaminated by the product : Dispose in a safe manner in accordance with local/national regulations.
Ecology - waste materials	Avoid release to the environment.

# HIT-HY 200-R, A

## Safety Data Sheet

according to the Model Work Health and Safety Regulations

### SECTION 14: Transport information

ADR	IMDG	IATA	RID
<b>14.1. UN number</b>			
Not regulated	Not regulated	Not regulated	Not regulated
<b>14.2. UN proper shipping name</b>			
Not regulated	Not regulated	Not regulated	Not regulated
<b>14.3. Transport hazard class(es)</b>			
Not regulated	Not regulated	Not regulated	Not regulated
<b>14.4. Packing group</b>			
Not regulated	Not regulated	Not regulated	Not regulated
<b>14.5. Environmental hazards</b>			
Not regulated	Not regulated	Not regulated	Not regulated
No supplementary information available			

#### 14.6. Special precautions for user

Specific storage requirement	No data available
Shock sensitivity	No data available

#### 14.7. Additional information

Other information	No supplementary information available
-------------------	--

#### Transport by road and rail

Not applicable

#### Transport by sea

Not applicable

#### Air transport

Not applicable

#### 14.8. Hazchem or Emergency Action Code

Hazchemcode	Not applicable
-------------	----------------

### SECTION 15: Regulatory information

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

No additional information available

#### 15.2. International agreements

No additional information available

### SECTION 16: Any other relevant information

Revision date 26/09/2018

Other information None.

Classification:

Skin Sens. 1	H317
--------------	------

Full text of H-statements:

Acute Tox. 2 (Oral)	Acute toxicity (oral), Category 2
---------------------	-----------------------------------



# HIT-HY 200-R, A

## Safety Data Sheet

according to the Model Work Health and Safety Regulations

Eye Irrit. 2A	Serious eye damage/eye irritation, Category 2A
Skin Sens. 1	Skin sensitisation, Category 1
Skin Sens. 1B	Skin sensitisation, category 1B
H300	Fatal if swallowed.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.

SDS\_AU\_Hilti

*This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product*